

Certification Schedule

This Schedule should be read in conjunction with the Certificate of Approval issued to the company listed below:

<i>Company Name</i>	Chibro SPA	
<i>Company Other Name</i>		
<i>Client ID</i>	101147	
<i>Document ID</i>	101147- Schedule 2 – Rev E	
<i>Certification Standard</i>	AS 3688-2005 : Water supply - Metallic fittings and end connectors - Including Amendment 1	
<i>Type of Certification</i>	Product Certification – WaterMark Level 1	
<i>Accreditation Status</i>	JAS-ANZ	<i>Date of Issue:</i> 12/10/2010

The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation.

Refer to www.jas-anz.org/register for verification.

This certification remains valid until the expiry date presented on the Certificate of Approval (or Conformity) and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions.

This Certificate of Approval remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654



Certification Manager



WaterMark licence number C of C: 40082

Model identification of the goods on which the WaterMark may be used

Brand	Item code no.	Description	Nominal size (mm)	Outside Diameter	Material
Chibro	5001	90° ELBOW 1,5D 5001 15 F.F.	15	15	Stainless Steel AISI 316L
Chibro	5003	90° ELBOW 1,5D 5003 18 F.F.	18	18	Stainless Steel AISI 316L
Chibro	5005	90° ELBOW 1,5D 5005 22 F.F.	20	22	Stainless Steel AISI 316L
Chibro	5007	90° ELBOW 1,5D 5007 28 F.F.	25	28	Stainless Steel AISI 316L
Chibro	5009	90° ELBOW 1,5D 5009 35 F.F.	32	35	Stainless Steel AISI 316L
Chibro	5011	90° ELBOW 1,5D 5011 42 F.F.	40	42	Stainless Steel AISI 316L
Chibro	5013	90° ELBOW 1,5D 5013 54 F.F.	50	54	Stainless Steel AISI 316L
Chibro	5015	90° ELBOW 1,5D 5015 76,1 F.F.	65	76.1	Stainless Steel AISI 316L
Chibro	5017	90° ELBOW 1,5D 5017 88,9 F.F.	80	88.9	Stainless Steel AISI 316L
Chibro	5019	90° ELBOW 1,5D 5019 108 F.F.	100	108	Stainless Steel AISI 316L
Chibro	5059	90° ELBOW 1,2D 5059 35 F.F.	32	35	Stainless Steel AISI 316L
Chibro	5061	90° ELBOW 1,2D 5061 42 F.F.	40	42	Stainless Steel AISI 316L
Chibro	5063	90° ELBOW 1,2D 5063 54 F.F.	50	54	Stainless Steel AISI 316L
Chibro	5065	90° ELBOW 1D 5065 76,1 F.F.	65	76.1	Stainless Steel AISI 316L
Chibro	5067	90° ELBOW 1D 5067 88,9 F.F.	80	88.9	Stainless Steel AISI 316L
Chibro	5069	90° ELBOW 1D 5069 108 F.F.	100	108	Stainless Steel AISI 316L
Chibro	5101	90° ELBOW 1,5D 5101 15 M.F.	15	15	Stainless Steel AISI 316L
Chibro	5103	90° ELBOW 1,5D 5103 18 M.F.	18	18	Stainless Steel AISI 316L
Chibro	5105	90° ELBOW 1,5D 5105 22 M.F.	20	22	Stainless Steel AISI 316L
Chibro	5107	90° ELBOW 1,5D 5107 28 M.F.	25	28	Stainless Steel AISI 316L
Chibro	5109	90° ELBOW 1,5D 5109 35 M.F.	32	35	Stainless Steel AISI 316L
Chibro	5111	90° ELBOW 1,5D 5111 42 M.F.	40	42	Stainless Steel AISI 316L
Chibro	5113	90° ELBOW 1,5D 5113 54 M.F.	50	54	Stainless Steel AISI 316L



Certification Manager



Brand	Item code no.	Description	Nominal size (mm)	Outside Diameter	Material
Chibro	5115	90° ELBOW 1,5D 5115 76,1 M.F.	65	76.1	Stainless Steel AISI 316L
Chibro	5117	90° ELBOW 1,5D 5117 88,9 M.F.	80	88.9	Stainless Steel AISI 316L
Chibro	5119	90° ELBOW 1,5D 5119 108 M.F.	100	108	Stainless Steel AISI 316L
Chibro	5159	90° ELBOW 1,2D 5159 35 M.F.	32	35	Stainless Steel AISI 316L
Chibro	5161	90° ELBOW 1,2D 5161 42 M.F.	40	42	Stainless Steel AISI 316L
Chibro	5163	90° ELBOW 1,2D 5163 54 M.F.	50	54	Stainless Steel AISI 316L
Chibro	5165	90° ELBOW 1D 5165 76,1 M.F.	65	76.1	Stainless Steel AISI 316L
Chibro	5167	90° ELBOW 1D 5167 88,9 M.F.	80	88.9	Stainless Steel AISI 316L
Chibro	5169	90° ELBOW 1D 5169 108 M.F.	100	108	Stainless Steel AISI 316L
Chibro	5201	60° ELBOW 1,5D 5201 15 F.F.	15	15	Stainless Steel AISI 316L
Chibro	5203	60° ELBOW 1,5D 5203 18 F.F.	18	18	Stainless Steel AISI 316L
Chibro	5205	60° ELBOW 1,5D 5205 22 F.F.	20	22	Stainless Steel AISI 316L
Chibro	5207	60° ELBOW 1,5D 5207 28 F.F.	25	28	Stainless Steel AISI 316L
Chibro	5209	60° ELBOW 1,5D 5209 35 F.F.	32	35	Stainless Steel AISI 316L
Chibro	5211	60° ELBOW 1,5D 5211 42 F.F.	40	42	Stainless Steel AISI 316L
Chibro	5213	60° ELBOW 1,5D 5213 54 F.F.	50	54	Stainless Steel AISI 316L
Chibro	5215	60° ELBOW 1,5D 5215 76,1 F.F.	65	76.1	Stainless Steel AISI 316L
Chibro	5217	60° ELBOW 1,5D 5217 88,9 F.F.	80	88.9	Stainless Steel AISI 316L
Chibro	5219	60° ELBOW 1,5D 5219 108 F.F.	100	108	Stainless Steel AISI 316L
Chibro	5259	60° ELBOW 1D 5259 35 F.F.	32	35	Stainless Steel AISI 316L
Chibro	5261	60° ELBOW 1D 5261 42 F.F.	40	42	Stainless Steel AISI 316L
Chibro	5263	60° ELBOW 1D 5263 54 F.F.	50	54	Stainless Steel AISI 316L
Chibro	5265	60° ELBOW 1D 5265 76,1 F.F.	65	76.1	Stainless Steel AISI 316L
Chibro	5267	60° ELBOW 1D 5267 88,9 F.F.	80	88.9	Stainless Steel AISI 316L
Chibro	5269	60° ELBOW 1D 5269 108 F.F.	100	108	Stainless Steel AISI 316L
Chibro	5301	60° ELBOW 1,5D 5301 15 M.F.	15	15	Stainless Steel AISI 316L
Chibro	5303	60° ELBOW 1,5D 5303 18 M.F.	18	18	Stainless Steel AISI 316L



Certification Manager



Brand	Item code no.	Description	Nominal size (mm)	Outside Diameter	Material
Chibro	5305	60° ELBOW 1,5D 5305 22 M.F.	20	22	Stainless Steel AISI 316L
Chibro	5307	60° ELBOW 1,5D 5307 28 M.F.	25	28	Stainless Steel AISI 316L
Chibro	5309	60° ELBOW 1,5D 5309 35 M.F.	32	35	Stainless Steel AISI 316L
Chibro	5311	60° ELBOW 1,5D 5311 42 M.F.	40	42	Stainless Steel AISI 316L
Chibro	5313	60° ELBOW 1,5D 5313 54 M.F.	50	54	Stainless Steel AISI 316L
Chibro	5315	60° ELBOW 1,5D 5315 76,1 M.F.	65	76.1	Stainless Steel AISI 316L
Chibro	5317	60° ELBOW 1,5D 5317 88,9 M.F.	80	88.9	Stainless Steel AISI 316L
Chibro	5319	60° ELBOW 1,5D 5319 108 M.F.	100	108	Stainless Steel AISI 316L
Chibro	5359	60° ELBOW 1D 5359 35 M.F.	32	35	Stainless Steel AISI 316L
Chibro	5361	60° ELBOW 1D 5361 42 M.F.	40	42	Stainless Steel AISI 316L
Chibro	5363	60° ELBOW 1D 5363 54 M.F.	50	54	Stainless Steel AISI 316L
Chibro	5365	60° ELBOW 1D 5365 76,1 M.F.	65	76.1	Stainless Steel AISI 316L
Chibro	5367	60° ELBOW 1D 5367 88,9 M.F.	80	88.9	Stainless Steel AISI 316L
Chibro	5369	60° ELBOW 1D 5369 108 M.F.	100	108	Stainless Steel AISI 316L
Chibro	5401	45° ELBOW 1,5D 5401 15 F.F.	15	15	Stainless Steel AISI 316L
Chibro	5403	45° ELBOW 1,5D 5403 18 F.F.	18	18	Stainless Steel AISI 316L
Chibro	5405	45° ELBOW 1,5D 5405 22 F.F.	20	22	Stainless Steel AISI 316L
Chibro	5407	45° ELBOW 1,5D 5407 28 F.F.	25	28	Stainless Steel AISI 316L
Chibro	5409	45° ELBOW 1,5D 5409 35 F.F.	32	35	Stainless Steel AISI 316L
Chibro	5411	45° ELBOW 1,5D 5411 42 F.F.	40	42	Stainless Steel AISI 316L
Chibro	5413	45° ELBOW 1,5D 5413 54 F.F.	50	54	Stainless Steel AISI 316L
Chibro	5415	45° ELBOW 1,5D 5415 76,1 F.F.	65	76.1	Stainless Steel AISI 316L
Chibro	5417	45° ELBOW 1,5D 5417 88,9 F.F.	80	88.9	Stainless Steel AISI 316L
Chibro	5419	45° ELBOW 1,5D 5419 108 F.F.	100	108	Stainless Steel AISI 316L
Chibro	5459	45° ELBOW 1,2D 5459 35 F.F.	32	35	Stainless Steel AISI 316L
Chibro	5461	45° ELBOW 1,2D 5461 42 F.F.	40	42	Stainless Steel AISI 316L
Chibro	5463	45° ELBOW 1,2D 5463 54 F.F.	50	54	Stainless Steel AISI 316L



Certification Manager

Henri Abdou

Brand	Item code no.	Description	Nominal size (mm)	Outside Diameter	Material
Chibro	5465	45° ELBOW 1D 5465 76,1 F.F.	65	76.1	Stainless Steel AISI 316L
Chibro	5467	45° ELBOW 1D 5467 88,9 F.F.	80	88.9	Stainless Steel AISI 316L
Chibro	5469	45° ELBOW 1D 5469 108 F.F.	100	108	Stainless Steel AISI 316L
Chibro	5501	45° ELBOW 1,5D 5501 15 M.F.	15	15	Stainless Steel AISI 316L
Chibro	5503	45° ELBOW 1,5D 5503 18 M.F.	18	18	Stainless Steel AISI 316L
Chibro	5505	45° ELBOW 1,5D 5505 22 M.F.	20	22	Stainless Steel AISI 316L
Chibro	5507	45° ELBOW 1,5D 5507 28 M.F.	25	28	Stainless Steel AISI 316L
Chibro	5509	45° ELBOW 1,5D 5509 35 M.F.	32	35	Stainless Steel AISI 316L
Chibro	5511	45° ELBOW 1,5D 5511 42 M.F.	40	42	Stainless Steel AISI 316L
Chibro	5513	45° ELBOW 1,5D 5513 55 M.F.	50	54	Stainless Steel AISI 316L
Chibro	5515	45° ELBOW 1,5D 5515 76,1 M.F.	65	76.1	Stainless Steel AISI 316L
Chibro	5517	45° ELBOW 1,5D 5517 88,9 M.F.	80	88.9	Stainless Steel AISI 316L
Chibro	5519	45° ELBOW 1,5D 5519 108 M.F.	100	108	Stainless Steel AISI 316L
Chibro	5559	45° ELBOW 1,2D 5559 35 M.F.	32	35	Stainless Steel AISI 316L
Chibro	5561	45° ELBOW 1,2D 5561 42 M.F.	40	42	Stainless Steel AISI 316L
Chibro	5563	45° ELBOW 1,2D 5563 54 M.F.	50	54	Stainless Steel AISI 316L
Chibro	5565	45° ELBOW 1D 5565 76,1 M.F.	65	76.1	Stainless Steel AISI 316L
Chibro	5567	45° ELBOW 1D 5567 88,9 M.F.	80	88.9	Stainless Steel AISI 316L
Chibro	5569	45° ELBOW 1D 5569 108 M.F.	100	108	Stainless Steel AISI 316L
Chibro	5601	30° ELBOW 1,5D 5601 15 F.F.	15	15	Stainless Steel AISI 316L
Chibro	5603	30° ELBOW 1,5D 5603 18 F.F.	18	18	Stainless Steel AISI 316L
Chibro	5605	30° ELBOW 1,5D 5605 22 F.F.	20	22	Stainless Steel AISI 316L
Chibro	5607	30° ELBOW 1,5D 5607 28 F.F.	25	28	Stainless Steel AISI 316L
Chibro	5609	30° ELBOW 1,5D 5609 35 F.F.	32	35	Stainless Steel AISI 316L
Chibro	5611	30° ELBOW 1,5D 5611 42 F.F.	40	42	Stainless Steel AISI 316L
Chibro	5613	30° ELBOW 1,5D 5613 54 F.F.	50	54	Stainless Steel AISI 316L
Chibro	5615	30° ELBOW 1,5D 5615 76,1 F.F.	65	76.1	Stainless Steel AISI 316L



Certification Manager

Henri Abdou

Brand	Item code no.	Description	Nominal size (mm)	Outside Diameter	Material
Chibro	5617	30° ELBOW 1,5D 5617 88,9 F.F.	80	88.9	Stainless Steel AISI 316L
Chibro	5619	30° ELBOW 1,5D 5619 108 F.F.	100	108	Stainless Steel AISI 316L
Chibro	5659	30° ELBOW 1D 5659 35 F.F.	32	35	Stainless Steel AISI 316L
Chibro	5661	30° ELBOW 1D 5661 42 F.F.	40	42	Stainless Steel AISI 316L
Chibro	5663	30° ELBOW 1D 5663 56 F.F.	50	54	Stainless Steel AISI 316L
Chibro	5665	30° ELBOW 1D 5665 76,1 F.F.	65	76.1	Stainless Steel AISI 316L
Chibro	5667	30° ELBOW 1D 5667 88,9 F.F.	80	88.9	Stainless Steel AISI 316L
Chibro	5669	30° ELBOW 1D 5669 108 F.F.	100	108	Stainless Steel AISI 316L
Chibro	5701	30° ELBOW 1,5D 5701 15 M.F.	15	15	Stainless Steel AISI 316L
Chibro	5703	30° ELBOW 1,5D 5703 18 M.F.	18	18	Stainless Steel AISI 316L
Chibro	5705	30° ELBOW 1,5D 5705 22 M.F.	20	22	Stainless Steel AISI 316L
Chibro	5707	30° ELBOW 1,5D 5707 28 M.F.	25	28	Stainless Steel AISI 316L
Chibro	5709	30° ELBOW 1,5D 5709 35 M.F.	32	35	Stainless Steel AISI 316L
Chibro	5711	30° ELBOW 1,5D 5711 42 M.F.	40	42	Stainless Steel AISI 316L
Chibro	5713	30° ELBOW 1,5D 5713 57 M.F.	50	54	Stainless Steel AISI 316L
Chibro	5715	30° ELBOW 1,5D 5715 76,1 M.F.	65	76.1	Stainless Steel AISI 316L
Chibro	5717	30° ELBOW 1,5D 5717 88,9 M.F.	80	88.9	Stainless Steel AISI 316L
Chibro	5719	30° ELBOW 1,5D 5719 108 M.F.	100	108	Stainless Steel AISI 316L
Chibro	5759	30° ELBOW 1D 5759 35 M.F.	32	35	Stainless Steel AISI 316L
Chibro	5761	30° ELBOW 1D 5761 42 M.F.	40	42	Stainless Steel AISI 316L
Chibro	5763	30° ELBOW 1D 5763 57 M.F.	50	54	Stainless Steel AISI 316L
Chibro	5765	30° ELBOW 1D 5765 76,1 M.F.	65	76.1	Stainless Steel AISI 316L
Chibro	5767	30° ELBOW 1D 5767 88,9 M.F.	80	88.9	Stainless Steel AISI 316L
Chibro	5769	30° ELBOW 1D 5769 108 M.F.	100	108	Stainless Steel AISI 316L
Chibro	5801	15° ELBOW 1,5D 5801 15 F.F.	15	15	Stainless Steel AISI 316L
Chibro	5803	15° ELBOW 1,5D 5803 18 F.F.	18	18	Stainless Steel AISI 316L
Chibro	5805	15° ELBOW 1,5D 5805 22 F.F.	20	22	Stainless Steel AISI 316L



Certification Manager

Jené Abdou

Brand	Item code no.	Description	Nominal size (mm)	Outside Diameter	Material
Chibro	5807	15° ELBOW 1,5D 5807 28 F.F.	25	28	Stainless Steel AISI 316L
Chibro	5809	15° ELBOW 1,5D 5809 35 F.F.	32	35	Stainless Steel AISI 316L
Chibro	5811	15° ELBOW 1,5D 5811 42 F.F.	40	42	Stainless Steel AISI 316L
Chibro	5813	15° ELBOW 1,5D 5813 58 F.F.	50	54	Stainless Steel AISI 316L
Chibro	5815	15° ELBOW 1,5D 5815 76,1 F.F.	65	76.1	Stainless Steel AISI 316L
Chibro	5817	15° ELBOW 1,5D 5817 88,9 F.F.	80	88.9	Stainless Steel AISI 316L
Chibro	5819	15° ELBOW 1,5D 5819 108 F.F.	100	108	Stainless Steel AISI 316L
Chibro	5901	15° ELBOW 1,5D 5901 15 M.F.	15	15	Stainless Steel AISI 316L
Chibro	5903	15° ELBOW 1,5D 5903 18 M.F.	18	18	Stainless Steel AISI 316L
Chibro	5905	15° ELBOW 1,5D 5905 22 M.F.	20	22	Stainless Steel AISI 316L
Chibro	5907	15° ELBOW 1,5D 5907 28 M.F.	25	28	Stainless Steel AISI 316L
Chibro	5909	15° ELBOW 1,5D 5909 35 M.F.	32	35	Stainless Steel AISI 316L
Chibro	5911	15° ELBOW 1,5D 5911 42 M.F.	40	42	Stainless Steel AISI 316L
Chibro	5913	15° ELBOW 1,5D 5913 59 M.F.	50	54	Stainless Steel AISI 316L
Chibro	5915	15° ELBOW 1,5D 5915 76,1 M.F.	65	76.1	Stainless Steel AISI 316L
Chibro	5917	15° ELBOW 1,5D 5917 88,9 M.F.	80	88.9	Stainless Steel AISI 316L
Chibro	5919	15° ELBOW 1,5D 5919 108 M.F.	100	108	Stainless Steel AISI 316L
Chibro	5991	90° EXTENSION ELBOW 5991 15x1/2 FEMALE THREADED	15	15	Stainless Steel AISI 316L
Chibro	6001	90° ANGLE ADAPT. 6001 15x1/2 FEMALE THREADED	15	15	Stainless Steel AISI 316L
Chibro	6003	90° ANGLE ADAPT. 6003 18x1/2 FEMALE THREADED	18	18	Stainless Steel AISI 316L
Chibro	6005	90° ANGLE ADAPT. 6005 22x3/4 FEMALE THREADED	20	22	Stainless Steel AISI 316L
Chibro	6007	90° ANGLE ADAPT. 6007 28x1 FEMALE THREADED	25	28	Stainless Steel AISI 316L
Chibro	6009	90° ANGLE ADAPT. 6009 35x1 1/4 FEMALE THREADED	32	35	Stainless Steel AISI 316L
Chibro	6051	90° ANGLE ADAPT. 6051 15x1/2 MALE THREADED	15	15	Stainless Steel AISI 316L
Chibro	6053	90° ANGLE ADAPT. 6053 18x1/2 MALE THREADED	18	18	Stainless Steel AISI 316L
Chibro	6055	90° ANGLE ADAPT. 6055 22x3/4 MALE THREADED	20	22	Stainless Steel AISI 316L
Chibro	6057	90° ANGLE ADAPT. 6057 28x1 MALE THREADED	25	28	Stainless Steel AISI 316L



Certification Manager

Henri Adams

Brand	Item code no.	Description	Nominal size (mm)	Outside Diameter	Material
Chibro	6059	90° ANGLE ADAPT. 6059 35x1 1/4 MALE THREADED	32	35	Stainless Steel AISI 316L
Chibro	6061	90° ANGLE ADAPT. 6061 42x1 1/2 MALE THREADED	40	42	Stainless Steel AISI 316L
Chibro	6063	90° ANGLE ADAPT. 6063 54x2 MALE THREADED	50	54	Stainless Steel AISI 316L
Chibro	6101	90° ANGLE ADAPT. WITH WALL FLANGE. 6101 15x1/2 F. THREADED	15	15	Stainless Steel AISI 316L
Chibro	6103	90° ANGLE ADAPT. WITH WALL FLANGE. 6103 18x1/2 F. THREADED	18	18	Stainless Steel AISI 316L
Chibro	6105	90° ANGLE ADAPT. WITH WALL FLANGE. 6105 22x3/4 F. THREADED	20	22	Stainless Steel AISI 316L
Chibro	6151	TEE WITH WALL FLANGE 6151 15x1/2 F. THREADED	15	15	Stainless Steel AISI 316L
Chibro	6301	SLEEVE WITH STOP. 6301 15	15	15	Stainless Steel AISI 316L
Chibro	6303	SLEEVE WITH STOP. 6303 18	18	18	Stainless Steel AISI 316L
Chibro	6305	SLEEVE WITH STOP. 6305 22	20	22	Stainless Steel AISI 316L
Chibro	6307	SLEEVE WITH STOP. 6307 28	25	28	Stainless Steel AISI 316L
Chibro	6309	SLEEVE WITH STOP. 6309 35	32	35	Stainless Steel AISI 316L
Chibro	6311	SLEEVE WITH STOP. 6311 42	40	42	Stainless Steel AISI 316L
Chibro	6313	SLEEVE WITH STOP. 6313 54	50	54	Stainless Steel AISI 316L
Chibro	6315	SLEEVE WITH STOP. 6315 76,1	65	76.1	Stainless Steel AISI 316L
Chibro	6317	SLEEVE WITH STOP. 6317 88,9	80	88.9	Stainless Steel AISI 316L
Chibro	6319	SLEEVE WITH STOP. 6319 108	100	108	Stainless Steel AISI 316L
Chibro	6351	SLIP SLEEVE 6351 15	15	15	Stainless Steel AISI 316L
Chibro	6353	SLIP SLEEVE 6353 18	18	18	Stainless Steel AISI 316L
Chibro	6355	SLIP SLEEVE 6355 22	20	22	Stainless Steel AISI 316L
Chibro	6357	SLIP SLEEVE 6357 28	25	28	Stainless Steel AISI 316L
Chibro	6359	SLIP SLEEVE 6359 35	32	35	Stainless Steel AISI 316L
Chibro	6361	SLIP SLEEVE 6361 42	40	42	Stainless Steel AISI 316L
Chibro	6363	SLIP SLEEVE 6363 54	50	54	Stainless Steel AISI 316L
Chibro	6365	SLIP SLEEVE 6365 76,1	65	76.1	Stainless Steel AISI 316L
Chibro	6367	SLIP SLEEVE 6367 88,9	80	88.9	Stainless Steel AISI 316L
Chibro	6369	SLIP SLEEVE 6369 108	100	108	Stainless Steel AISI 316L



Certification Manager

Jené Abdou

Brand	Item code no.	Description	Nominal size (mm)	Outside Diameter	Material
Chibro	6401	ADAPT. FEMALE PARALLEL GAS THREADED 6401 15x1/2 F.F.	15	15	Stainless Steel AISI 316L
Chibro	6402	ADAPT. FEMALE PARALLEL GAS THREADED 6402 15x3/4 F.F.	15	15	Stainless Steel AISI 316L
Chibro	6403	ADAPT. FEMALE PARALLEL GAS THREADED 6403 18x1/2 F.F.	18	18	Stainless Steel AISI 316L
Chibro	6404	ADAPT. FEMALE PARALLEL GAS THREADED 6404 18x3/4 F.F.	18	18	Stainless Steel AISI 316L
Chibro	6407	ADAPT. FEMALE PARALLEL GAS THREADED 6407 22x1/2 F.F.	20	22	Stainless Steel AISI 316L
Chibro	6409	ADAPT. FEMALE PARALLEL GAS THREADED 6409 22x3/4 F.F.	20	22	Stainless Steel AISI 316L
Chibro	6405	ADAPT. FEMALE PARALLEL GAS THREADED 6405 22x1 F.F.	20	22	Stainless Steel AISI 316L
Chibro	6406	ADAPT. FEMALE PARALLEL GAS THREADED 6406 28x3/4 F.F.	25	28	Stainless Steel AISI 316L
Chibro	6411	ADAPT. FEMALE PARALLEL GAS THREADED 6411 28x1 F.F.	25	28	Stainless Steel AISI 316L
Chibro	6412	ADAPT. FEMALE PARALLEL GAS THREADED 6412 35x1 F.F.	32	35	Stainless Steel AISI 316L
Chibro	6413	ADAPT. FEMALE PARALLEL GAS THREADED 6413 35x1 1/4 F.F.	32	35	Stainless Steel AISI 316L
Chibro	6414	ADAPT. FEMALE PARALLEL GAS THREADED 6414 35x1 1/2 F.F.	32	35	Stainless Steel AISI 316L
Chibro	6416	ADAPT. FEMALE PARALLEL GAS THREADED 6416 42x1 1/4 F.F.	40	42	Stainless Steel AISI 316L
Chibro	6415	ADAPT. FEMALE PARALLEL GAS THREADED 6415 42x1 1/2 F.F.	40	42	Stainless Steel AISI 316L
Chibro	6417	ADAPT. FEMALE PARALLEL GAS THREADED 6417 54x2 F.F.	50	54	Stainless Steel AISI 316L
Chibro	6418	ADAPT. FEMALE PARALLEL GAS THREADED 6418 54x1 1/2 F.F.	50	54	Stainless Steel AISI 316L
Chibro	6410	ADAPT. FEMALE NPT THREADED 6410 28x1/2 F.F.	25	28	Stainless Steel AISI 316L
Chibro	6451	ADAPT. MALE PARALLEL GAS THREADED 6451 15x1/2 M.F.	15	15	Stainless Steel AISI 316L
Chibro	6452	ADAPT. MALE PARALLEL GAS THREADED 6452 15x3/4 M.F.	15	15	Stainless Steel AISI 316L
Chibro	6453	ADAPT. MALE PARALLEL GAS THREADED 6453 18x1/2 M.F.	18	18	Stainless Steel AISI 316L
Chibro	6455	ADAPT. MALE PARALLEL GAS THREADED 6455 18x3/4 M.F.	18	18	Stainless Steel AISI 316L
Chibro	6456	ADAPT. MALE PARALLEL GAS THREADED 6456 22x1/2 M.F.	20	22	Stainless Steel AISI 316L
Chibro	6457	ADAPT. MALE PARALLEL GAS THREADED 6457 22x3/4 M.F.	20	22	Stainless Steel AISI 316L
Chibro	6458	ADAPT. MALE PARALLEL GAS THREADED 6458 22x1 M.F.	20	22	Stainless Steel AISI 316L
Chibro	6445	ADAPT. MALE PARALLEL GAS THREADED 6445 28x1/2 M.F.	25	28	Stainless Steel AISI 316L
Chibro	6447	ADAPT. MALE PARALLEL GAS THREADED 6447 28x3/4 M.F.	25	28	Stainless Steel AISI 316L
Chibro	6459	ADAPT. MALE PARALLEL GAS THREADED 6459 28x1 M.F.	25	28	Stainless Steel AISI 316L



Certification Manager

Jené Abdou

Brand	Item code no.	Description	Nominal size (mm)	Outside Diameter	Material
Chibro	6449	ADAPT. MALE PARALLEL GAS THREADED 6449 28x1.1/4 M.F.	25	28	Stainless Steel AISI 316L
Chibro	6460	ADAPT. MALE PARALLEL GAS THREADED 6460 35x1 M.F.	32	35	Stainless Steel AISI 316L
Chibro	6461	ADAPT. MALE PARALLEL GAS THREADED 6461 35x1 1/4 M.F.	32	35	Stainless Steel AISI 316L
Chibro	6462	ADAPT. MALE PARALLEL GAS THREADED 6462 35x1 1/2 M.F.	32	35	Stainless Steel AISI 316L
Chibro	6464	ADAPT. MALE PARALLEL GAS THREADED 6464 42x1 1/4 M.F.	40	42	Stainless Steel AISI 316L
Chibro	6463	ADAPT. MALE PARALLEL GAS THREADED 6463 42x1 1/2 M.F.	40	42	Stainless Steel AISI 316L
Chibro	6466	ADAPT. MALE PARALLEL GAS THREADED 6466 54x1.1/2 M.F.	50	54	Stainless Steel AISI 316L
Chibro	6465	ADAPT. MALE PARALLEL GAS THREADED 6465 54x2 M.F.	50	54	Stainless Steel AISI 316L
Chibro	6467	ADAPT. MALE PARALLEL GAS THREADED 6467 76,1x2 1/2 M.F.	65	76.1	Stainless Steel AISI 316L
Chibro	6469	ADAPT. MALE PARALLEL GAS THREADED 6469 88,9x3 M.F.	80	88.9	Stainless Steel AISI 316L
Chibro	6595	ADAT. SPIGOT PARALLEL GAS THREADED 6595 22x1/4 M.M.	20	22	Stainless Steel AISI 316L
Chibro	6597	ADAT. SPIGOT PARALLEL GAS THREADED 6597 28x1 M.M.	25	28	Stainless Steel AISI 316L
Chibro	6599	ADAT. SPIGOT PARALLEL GAS THREADED 6599 22x1/4 M.M.	20	22	Stainless Steel AISI 316L
Chibro	6501	FLANGED SLEEVE PN 10/16 6501 15	15	15	Stainless Steel AISI 316L
Chibro	6503	FLANGED SLEEVE PN 10/16 6503 18	18	18	Stainless Steel AISI 316L
Chibro	6505	FLANGED SLEEVE PN 10/16 6505 22	20	22	Stainless Steel AISI 316L
Chibro	6507	FLANGED SLEEVE PN 10/16 6507 28	25	28	Stainless Steel AISI 316L
Chibro	6509	FLANGED SLEEVE PN 10/16 6509 35	32	35	Stainless Steel AISI 316L
Chibro	6511	FLANGED SLEEVE PN 10/16 6511 42	40	42	Stainless Steel AISI 316L
Chibro	6513	FLANGED SLEEVE PN 10/16 6513 54	50	54	Stainless Steel AISI 316L
Chibro	6515	FLANGED SLEEVE PN 10/16 6515 76	65	76.1	Stainless Steel AISI 316L
Chibro	6517	FLANGED SLEEVE PN 10/16 6517 88	80	88.9	Stainless Steel AISI 316L
Chibro	6519	FLANGED SLEEVE PN 10/16 6519 108	100	108	Stainless Steel AISI 316L
Chibro	6521	FLANGED SLEEVE PN 6 6521 15	15	15	Stainless Steel AISI 316L
Chibro	6523	FLANGED SLEEVE PN 6 6523 18	18	18	Stainless Steel AISI 316L
Chibro	6525	FLANGED SLEEVE PN 6 6525 22	20	22	Stainless Steel AISI 316L
Chibro	6527	FLANGED SLEEVE PN 6 6527 28	25	28	Stainless Steel AISI 316L



Certification Manager

Henri Adnan

Brand	Item code no.	Description	Nominal size (mm)	Outside Diameter	Material
Chibro	6529	FLANGED SLEEVE PN 6 6529 35	32	35	Stainless Steel AISI 316L
Chibro	6531	FLANGED SLEEVE PN 6 6531 42	40	42	Stainless Steel AISI 316L
Chibro	6533	FLANGED SLEEVE PN 6 6533 54	50	54	Stainless Steel AISI 316L
Chibro	6535	FLANGED SLEEVE PN 6 6535 76	65	76.1	Stainless Steel AISI 316L
Chibro	6537	FLANGED SLEEVE PN 6 6537 88	80	88.9	Stainless Steel AISI 316L
Chibro	6539	FLANGED SLEEVE PN 6 6539 108	100	108	Stainless Steel AISI 316L
Chibro	6570	UNION PARALLEL GAS THREAD 6570 15x1/2	15	15	Stainless Steel AISI 316L
Chibro	6571	UNION PARALLEL GAS THREAD 6571 15x3/4	15	15	Stainless Steel AISI 316L
Chibro	6573	UNION PARALLEL GAS THREAD 6573 18x3/4	18	18	Stainless Steel AISI 316L
Chibro	6575	UNION PARALLEL GAS THREAD 6575 22x1	20	22	Stainless Steel AISI 316L
Chibro	6577	UNION PARALLEL GAS THREAD 6577 28x1 1/4	25	28	Stainless Steel AISI 316L
Chibro	6579	UNION PARALLEL GAS THREAD 6579 35x1 1/2	32	35	Stainless Steel AISI 316L
Chibro	6581	UNION PARALLEL GAS THREAD 6581 42x2	40	42	Stainless Steel AISI 316L
Chibro	6583	UNION PARALLEL GAS THREAD 6583 54x2	50	54	Stainless Steel AISI 316L
Chibro	6901	REDUCER 6901 18-15	18	18	Stainless Steel AISI 316L
Chibro	6903	REDUCER 6903 22-15	20	22	Stainless Steel AISI 316L
Chibro	6905	REDUCER 6905 22-18	20	22	Stainless Steel AISI 316L
Chibro	6907	REDUCER 6907 28-15	25	28	Stainless Steel AISI 316L
Chibro	6909	REDUCER 6909 28-18	25	28	Stainless Steel AISI 316L
Chibro	6911	REDUCER 6911 28-22	25	28	Stainless Steel AISI 316L
Chibro	6912	REDUCER 6912 35-15	32	35	Stainless Steel AISI 316L
Chibro	6917	REDUCER 6917 35-22	32	35	Stainless Steel AISI 316L
Chibro	6919	REDUCER 6919 35-28	32	35	Stainless Steel AISI 316L
Chibro	6925	REDUCER 6925 42-22	32	35	Stainless Steel AISI 316L
Chibro	6927	REDUCER 6927 42-28	40	42	Stainless Steel AISI 316L
Chibro	6929	REDUCER 6929 42-35	40	42	Stainless Steel AISI 316L
Chibro	6937	REDUCER 6937 54-28	50	54	Stainless Steel AISI 316L



Certification Manager



Brand	Item code no.	Description	Nominal size (mm)	Outside Diameter	Material
Chibro	6939	REDUCER 6939 54-35	50	54	Stainless Steel AISI 316L
Chibro	6941	REDUCER 6941 54-42	50	54	Stainless Steel AISI 316L
Chibro	6943	REDUCER 6943 76-42	65	76.1	Stainless Steel AISI 316L
Chibro	6945	REDUCER 6945 76-54	65	76.1	Stainless Steel AISI 316L
Chibro	6947	REDUCER 6947 88-54	80	88.9	Stainless Steel AISI 316L
Chibro	6949	REDUCER 6949 88-76	80	88.9	Stainless Steel AISI 316L
Chibro	6951	REDUCER 6951 108-54	100	108	Stainless Steel AISI 316L
Chibro	6953	REDUCER 6953 108-76	100	108	Stainless Steel AISI 316L
Chibro	6955	REDUCER 6955 108-88	100	108	Stainless Steel AISI 316L
Chibro	6601	TEE 6601 15	15	15	Stainless Steel AISI 316L
Chibro	6603	TEE 6603 18	18	18	Stainless Steel AISI 316L
Chibro	6605	TEE 6605 22	20	22	Stainless Steel AISI 316L
Chibro	6607	TEE 6607 28	25	28	Stainless Steel AISI 316L
Chibro	6609	TEE 6609 35	32	35	Stainless Steel AISI 316L
Chibro	6611	TEE 6611 42	40	42	Stainless Steel AISI 316L
Chibro	6613	TEE 6613 54	50	54	Stainless Steel AISI 316L
Chibro	6615	TEE 6615 76,1	65	76.1	Stainless Steel AISI 316L
Chibro	6617	TEE 6617 88,9	80	88.9	Stainless Steel AISI 316L
Chibro	6619	TEE 6619 108	100	108	Stainless Steel AISI 316L
Chibro	6701	REDUCED TEE 6701 18-15	18	18	Stainless Steel AISI 316L
Chibro	6703	REDUCED TEE 6703 22-15	20	22	Stainless Steel AISI 316L
Chibro	6705	REDUCED TEE 6705 22-18	20	22	Stainless Steel AISI 316L
Chibro	6707	REDUCED TEE 6707 28-15	25	28	Stainless Steel AISI 316L
Chibro	6709	REDUCED TEE 6709 28-18	25	28	Stainless Steel AISI 316L
Chibro	6711	REDUCED TEE 6711 28-22	25	28	Stainless Steel AISI 316L
Chibro	6713	REDUCED TEE 6713 35-15	32	35	Stainless Steel AISI 316L
Chibro	6715	REDUCED TEE 6715 35-18	32	35	Stainless Steel AISI 316L



Certification Manager

Henri Adnan

Brand	Item code no.	Description	Nominal size (mm)	Outside Diameter	Material
Chibro	6717	REDUCED TEE 6717 35-22	32	35	Stainless Steel AISI 316L
Chibro	6719	REDUCED TEE 6719 35-28	32	35	Stainless Steel AISI 316L
Chibro	6720	REDUCED TEE 6720 42-15	40	42	Stainless Steel AISI 316L
Chibro	6721	REDUCED TEE 6721 42-22	40	42	Stainless Steel AISI 316L
Chibro	6722	REDUCED TEE 6722 42-18	40	42	Stainless Steel AISI 316L
Chibro	6723	REDUCED TEE 6723 42-28	40	42	Stainless Steel AISI 316L
Chibro	6725	REDUCED TEE 6725 42-35	40	42	Stainless Steel AISI 316L
Chibro	6724	REDUCED TEE 6724 54-15	50	54	Stainless Steel AISI 316L
Chibro	6726	REDUCED TEE 6726 54-18	50	54	Stainless Steel AISI 316L
Chibro	6727	REDUCED TEE 6727 54-22	50	54	Stainless Steel AISI 316L
Chibro	6729	REDUCED TEE 6729 54-28	50	54	Stainless Steel AISI 316L
Chibro	6731	REDUCED TEE 6731 54-35	50	54	Stainless Steel AISI 316L
Chibro	6733	REDUCED TEE 6733 54-42	50	54	Stainless Steel AISI 316L
Chibro	6735	REDUCED TEE 6735 76-22	65	76.1	Stainless Steel AISI 316L
Chibro	6737	REDUCED TEE 6737 76-28	65	76.1	Stainless Steel AISI 316L
Chibro	6739	REDUCED TEE 6739 76-35	65	76.1	Stainless Steel AISI 316L
Chibro	6741	REDUCED TEE 6741 76-42	65	76.1	Stainless Steel AISI 316L
Chibro	6743	REDUCED TEE 6743 76-54	65	76.1	Stainless Steel AISI 316L
Chibro	6745	REDUCED TEE 6745 88-22	80	88.9	Stainless Steel AISI 316L
Chibro	6747	REDUCED TEE 6747 88-28	80	88.9	Stainless Steel AISI 316L
Chibro	6749	REDUCED TEE 6749 88-35	80	88.9	Stainless Steel AISI 316L
Chibro	6751	REDUCED TEE 6751 88-42	80	88.9	Stainless Steel AISI 316L
Chibro	6753	REDUCED TEE 6753 88-54	80	88.9	Stainless Steel AISI 316L
Chibro	6755	REDUCED TEE 6755 88-76	80	88.9	Stainless Steel AISI 316L
Chibro	6757	REDUCED TEE 6757 108-22	100	108	Stainless Steel AISI 316L
Chibro	6759	REDUCED TEE 6759 108-28	100	108	Stainless Steel AISI 316L
Chibro	6761	REDUCED TEE 6761 108-35	100	108	Stainless Steel AISI 316L



Certification Manager

Henri Adams

Brand	Item code no.	Description	Nominal size (mm)	Outside Diameter	Material
Chibro	6763	REDUCED TEE 6763 108-42	100	108	Stainless Steel AISI 316L
Chibro	6765	REDUCED TEE 6765 108-54	100	108	Stainless Steel AISI 316L
Chibro	6767	REDUCED TEE 6767 108-76	100	108	Stainless Steel AISI 316L
Chibro	6769	REDUCED TEE 6769 108-88	100	108	Stainless Steel AISI 316L
Chibro	6801	TEE FEMALE THREADED BRANCH 6801 15x1/2 FF	15	15	Stainless Steel AISI 316L
Chibro	6803	TEE FEMALE THREADED BRANCH 6803 18x1/2 FF	18	18	Stainless Steel AISI 316L
Chibro	6807	TEE FEMALE THREADED BRANCH 6807 22x1/2 FF	20	22	Stainless Steel AISI 316L
Chibro	6809	TEE FEMALE THREADED BRANCH 6809 22x3/4 FF	20	22	Stainless Steel AISI 316L
Chibro	6811	TEE FEMALE THREADED BRANCH 6811 28x1/2 FF	25	28	Stainless Steel AISI 316L
Chibro	6813	TEE FEMALE THREADED BRANCH 6813 28x3/4 FF	25	28	Stainless Steel AISI 316L
Chibro	6815	TEE FEMALE THREADED BRANCH 6815 35x1/2 FF	32	35	Stainless Steel AISI 316L
Chibro	6817	TEE FEMALE THREADED BRANCH 6817 35x3/4 FF	32	35	Stainless Steel AISI 316L
Chibro	6819	TEE FEMALE THREADED BRANCH 6819 42x1/2 FF	40	42	Stainless Steel AISI 316L
Chibro	6821	TEE FEMALE THREADED BRANCH 6821 42x3/4 FF	40	42	Stainless Steel AISI 316L
Chibro	6823	TEE FEMALE THREADED BRANCH 6823 54x1/2 FF	50	54	Stainless Steel AISI 316L
Chibro	6825	TEE FEMALE THREADED BRANCH 6825 54x3/4 FF	50	54	Stainless Steel AISI 316L
Chibro	6827	TEE FEMALE THREADED BRANCH 6827 54x2 FF	50	54	Stainless Steel AISI 316L
Chibro	6829	TEE FEMALE THREADED BRANCH 6829 76x3/4 FF	65	76.1	Stainless Steel AISI 316L
Chibro	6831	TEE FEMALE THREADED BRANCH 6831 88x3/4 FF	80	88.9	Stainless Steel AISI 316L
Chibro	6833	TEE FEMALE THREADED BRANCH 6833 108x3/4 FF	100	108	Stainless Steel AISI 316L
Chibro	6835	TEE FEMALE THREADED BRANCH 6835 76x2 FF	65	76.1	Stainless Steel AISI 316L
Chibro	6837	TEE FEMALE THREADED BRANCH 6837 88x2 FF	80	88.9	Stainless Steel AISI 316L
Chibro	6839	TEE FEMALE THREADED BRANCH 6839 108x2 FF	100	108	Stainless Steel AISI 316L
Chibro	7001	OVERRUN 7001 15	15	15	Stainless Steel AISI 316L
Chibro	7003	OVERRUN 7003 18	18	18	Stainless Steel AISI 316L
Chibro	7005	OVERRUN 7005 22	20	22	Stainless Steel AISI 316L
Chibro	7007	OVERRUN 7007 28	25	28	Stainless Steel AISI 316L



Certification Manager

Henri Adams

Brand	Item code no.	Description	Nominal size (mm)	Outside Diameter	Material
Chibro	7021	CROSSOVER 7021 15	15	15	Stainless Steel AISI 316L
Chibro	7023	CROSSOVER 7023 18	18	18	Stainless Steel AISI 316L
Chibro	7025	CROSSOVER 7025 22	20	22	Stainless Steel AISI 316L
Chibro	7027	CROSSOVER 7027 28	25	28	Stainless Steel AISI 316L
Chibro	7051	MM 90° BENT PIPE 90 7051 15	15	15	Stainless Steel AISI 316L
Chibro	7053	MM 90° BENT PIPE 90 7053 18	18	18	Stainless Steel AISI 316L
Chibro	7055	MM 90° BENT PIPE 90 7055 22	20	22	Stainless Steel AISI 316L
Chibro	7057	MM 90° BENT PIPE 90 7057 28	25	28	Stainless Steel AISI 316L
Chibro	7059	MM 90° BENT PIPE 90 7059 35	32	35	Stainless Steel AISI 316L
Chibro	7061	MM 90° BENT PIPE 90 7061 42	40	42	Stainless Steel AISI 316L
Chibro	7063	MM 90° BENT PIPE 90 7063 54	50	54	Stainless Steel AISI 316L
Chibro	7201	PLUG FOR SEALING PIPES 7201 15	15	15	Stainless Steel AISI 316L
Chibro	7203	PLUG FOR SEALING PIPES 7203 18	18	18	Stainless Steel AISI 316L
Chibro	7205	PLUG FOR SEALING PIPES 7205 22	20	22	Stainless Steel AISI 316L
Chibro	7207	PLUG FOR SEALING PIPES 7207 28	25	28	Stainless Steel AISI 316L
Chibro	7209	PLUG FOR SEALING PIPES 7209 35	32	35	Stainless Steel AISI 316L
Chibro	7211	PLUG FOR SEALING PIPES 7211 42	40	42	Stainless Steel AISI 316L
Chibro	7213	PLUG FOR SEALING PIPES 7213 54	50	54	Stainless Steel AISI 316L
Chibro	7215	PLUG FOR SEALING PIPES 7215 76,1	65	76.1	Stainless Steel AISI 316L
Chibro	7217	PLUG FOR SEALING PIPES 7217 88,9	80	88.9	Stainless Steel AISI 316L
Chibro	7219	PLUG FOR SEALING PIPES 7219 108	100	108	Stainless Steel AISI 316L
Chibro	6850	STRAIGHT UNION CONNECTOR F. 6850 15x3/4	15	15	Stainless Steel AISI 316L
Chibro	6851	STRAIGHT UNION CONNECTOR F. 6851 15x1/2	15	15	Stainless Steel AISI 316L
Chibro	6852	STRAIGHT UNION CONNECTOR F. 6852 18x3/4	18	18	Stainless Steel AISI 316L
Chibro	6853	STRAIGHT UNION CONNECTOR F. 6853 18x1/2	18	18	Stainless Steel AISI 316L
Chibro	6855	STRAIGHT UNION CONNECTOR F. 6855 22x3/4	20	22	Stainless Steel AISI 316L
Chibro	6856	STRAIGHT UNION CONNECTOR F. 6856 22x1	20	22	Stainless Steel AISI 316L



Certification Manager

Jené Abdou

Brand	Item code no.	Description	Nominal size (mm)	Outside Diameter	Material
Chibro	6857	STRAIGHT UNION CONNECTOR F. 6857 28x1	25	28	Stainless Steel AISI 316L
Chibro	6859	STRAIGHT UNION CONNECTOR F. 6859 35x1 1/4	32	35	Stainless Steel AISI 316L
Chibro	6861	STRAIGHT UNION CONNECTOR F. 6861 42x1 1/2	40	42	Stainless Steel AISI 316L
Chibro	6863	STRAIGHT UNION CONNECTOR F. 6863 54x2	50	54	Stainless Steel AISI 316L
Chibro	6870	STRAIGHT UNION CONNECTOR M. 6870 15x3/4	15	15	Stainless Steel AISI 316L
Chibro	6871	STRAIGHT UNION CONNECTOR M. 6871 15x1/2	15	15	Stainless Steel AISI 316L
Chibro	6872	STRAIGHT UNION CONNECTOR M. 6872 18x3/4	18	18	Stainless Steel AISI 316L
Chibro	6873	STRAIGHT UNION CONNECTOR M. 6873 18x1/2	18	18	Stainless Steel AISI 316L
Chibro	6874	STRAIGHT UNION CONNECTOR M. 6874 22x1 1/2	20	22	Stainless Steel AISI 316L
Chibro	6875	STRAIGHT UNION CONNECTOR M. 6875 22x3/4	20	22	Stainless Steel AISI 316L
Chibro	6876	STRAIGHT UNION CONNECTOR M. 6876 22x1	20	22	Stainless Steel AISI 316L
Chibro	6877	STRAIGHT UNION CONNECTOR M. 6877 28x1	25	28	Stainless Steel AISI 316L
Chibro	6879	STRAIGHT UNION CONNECTOR M. 6879 35x1 1/4	32	35	Stainless Steel AISI 316L
Chibro	6881	STRAIGHT UNION CONNECTOR M. 6881 42x1 1/2	40	42	Stainless Steel AISI 316L
Chibro	6883	STRAIGHT UNION CONNECTOR M. 6883 54x2	50	54	Stainless Steel AISI 316L
Chibro	9284	COLLARS FOR LOOSE FLANGE PN 6 9284 22	20	22	Stainless Steel AISI 316L
Chibro	9285	COLLARS FOR LOOSE FLANGE PN 6 9285 28	25	28	Stainless Steel AISI 316L
Chibro	9286	COLLARS FOR LOOSE FLANGE PN 6 9286 35	32	35	Stainless Steel AISI 316L
Chibro	9287	COLLARS FOR LOOSE FLANGE PN 6 9287 42	40	42	Stainless Steel AISI 316L
Chibro	9288	COLLARS FOR LOOSE FLANGE PN 6 9288 54	50	54	Stainless Steel AISI 316L
Chibro	9289	COLLARS FOR LOOSE FLANGE PN 6 9289 76	65	76.1	Stainless Steel AISI 316L
Chibro	9290	COLLARS FOR LOOSE FLANGE PN 6 9290 88	80	88.9	Stainless Steel AISI 316L
Chibro	9291	COLLARS FOR LOOSE FLANGE PN 6 9291 108	100	108	Stainless Steel AISI 316L
Chibro	9274	COLLARS FOR LOOSE FLANGE PN 10/16 9274 22	20	22	Stainless Steel AISI 316L
Chibro	9275	COLLARS FOR LOOSE FLANGE PN 10/16 9275 28	25	28	Stainless Steel AISI 316L
Chibro	9276	COLLARS FOR LOOSE FLANGE PN 10/16 9276 35	32	35	Stainless Steel AISI 316L
Chibro	9277	COLLARS FOR LOOSE FLANGE PN 10/16 9277 42	40	42	Stainless Steel AISI 316L



Certification Manager

Henri Adnan

Brand	Item code no.	Description	Nominal size (mm)	Outside Diameter	Material
Chibro	9278	COLLARS FOR LOOSE FLANGE PN 10/16 9278 54	50	54	Stainless Steel AISI 316L
Chibro	9279	COLLARS FOR LOOSE FLANGE PN 10/16 9279 76	65	76.1	Stainless Steel AISI 316L
Chibro	9280	COLLARS FOR LOOSE FLANGE PN 10/16 9280 88	80	88.9	Stainless Steel AISI 316L
Chibro	9281	COLLARS FOR LOOSE FLANGE PN 10/16 9281 108	100	108	Stainless Steel AISI 316L

Notes:

- System is suitable for water application up to 1.4MPa at 95C
- System is suitable for water application up to 2.1MPa at ambient temperature
- System is suitable for potable water application in the temperature range 0C to 95C.
- Temperature range is seal type dependant.
- Material is suitable for non-potable water application in different temperature ranges as stated above. Consider and follow manufacturer recommendations (outside the scope of this WaterMark approval).

End of the document



Certification Manager

