

Certification Schedule

This Schedule should be read in conjunction with the Certificate of Approval issued to the company listed below:

<i>Company Name</i>	Chibro SPA
<i>Company Other Name</i>	
<i>Client ID</i>	101147
<i>Document ID</i>	101147- Schedule 1 – Rev E
<i>Certification Standard</i>	ATS 5200.053-2008 : Technical Specification for plumbing and drainage products - Stainless steel pipes and tubes for pressure applications
<i>Type of Certification</i>	Product Certification – WaterMark Level 1
<i>Accreditation Status</i>	JAS-ANZ <i>Date of Issue:</i> 26/11/2010

The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation.

Refer to www.jas-anz.org/register for verification.

This certification remains valid until the expiry date presented on the Certificate of Approval (or Conformity) and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions.

This Certificate of Approval remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654



Certification Manager



WaterMark licence number C of C: 40081

Model identification of the goods on which the WaterMark may be used

Brand	Item code no.	Description	Nominal size (mm)	Outside Diameter (mm)	Length (m)	water capacity (l/m)	Material
Chibro	4903	Stainless steel tube	15	15	6	0.133	Stainless Steel AISI 316L
Chibro	4905	Stainless steel tube	18	18	6	0.201	Stainless Steel AISI 316L
Chibro	4907	Stainless steel tube	20	22	6	0.302	Stainless Steel AISI 316L
Chibro	4909	Stainless steel tube	25	28	6	0.515	Stainless Steel AISI 316L
Chibro	4911	Stainless steel tube	32	35	6	0.804	Stainless Steel AISI 316L
Chibro	4913	Stainless steel tube	40	42	6	1.195	Stainless Steel AISI 316L
Chibro	4915	Stainless steel tube	50	54	6	2.043	Stainless Steel AISI 316L
Chibro	4917	Stainless steel tube	65	76.1	6	4.083	Stainless Steel AISI 316L
Chibro	4919	Stainless steel tube	80	88.9	6	5.662	Stainless Steel AISI 316L
Chibro	4921	Stainless steel tube	100	108	6	8.496	Stainless Steel AISI 316L

Notes:

- System is suitable for water application up to 1.4MPa at 95C
- System is suitable for water application up to 2.1MPa at ambient temperature
- System is suitable for potable water application in the temperature range 0C to 95C.
- Temperature range is seal type dependant.
- Material is suitable for non-potable water application in different temperature ranges as stated above. Consider and follow manufacturer recommendations (outside the scope of this WaterMark approval).

End of the document



Certification Manager

